






DWG NO. 0070-00113-000 REV B SH 1/1

| REV | DATE     | ECO | COMMENTS                    |
|-----|----------|-----|-----------------------------|
| A   | 10/02/97 | 114 | LENGTH INCREASED 2.5 INCHES |
| B   | 06/04/03 | 169 | ADD METRIC UNITS            |




18 (457)  
RECOMMENDED MINIMUM CLEARANCE FOR ACCESS

0.75-14 NPT REDUCING BUSHING (SUPPLIED)



NOTES:

- 1 FLANGE IS 3 INCH, 316L STAINLESS RAISED FACE ANSI 150
- 2 RECOMMEND CUSTOMER INSTALL FLANGE FROM 5.0 TO 6.0 INCHES FROM VESSEL INTERNAL WALL. (NOTE UNIT LENGTH)
- 3 WEIGHT: 27 LBS (12kg)
- 4 ALL DIMENSIONS GIVEN IN INCHES MILLIMETER DIMENSIONS SHOWN IN ( )

|   |                           |
|---|---------------------------|
|  <b>PHASE DYNAMICS, INC</b><br>RICHARDSON, TEXAS |                           |
| TITLE<br><b>3 INCH 150# INSERTION TYPE TEMP PROBE, 6 INCH CAGE</b>  |                           |
| SIZE<br>B   | DWG NO.<br>0070-00113-000 |
| REV<br>B  | DATE<br>02/26/97          |
| © PHASE DYNAMICS, INC.  |                           |